BRAIN RESEARCH

VOL. 598 NO. 1/2 — 11 DECEMBER 1992

CONTENTS

Research Reports

Progressive impairment of Schwann cell proliferation in vitro in murine globoid cell leukodystrophy (twitcher)
A. Komiyama and K. Suzuki (USA) 1

Potent gp120-like neurotoxic activity in the cerebrospinal fluid of HIV-infected individuals is blocked by peptide T
J. Buzy, D.E. Brenneman, C.B. Pert, A. Martin, A. Salazar and M.R. Ruff (USA) 10

Low-voltage-activated calcium channels in human retinoblastoma cells
S. Barnes and L.W. Haynes (Canada) 19

Effects of the opiates on the paraventricular nucleus in genetically polydipsic mice
I. Nagatomo, T. Katafuchi and K. Koizumi (USA) 23

The locus coeruleus and memory: a study of chronic alcoholics with and without the memory impairment of Korsakoff's psychosis
G. Halliday, J. Ellis and C. Harper (Australia) 33

Rolling mouse Nagoya as a mutant animal model of basal ganglia dysfunction: determination of absolute rates of local cerebral glucose utilization
T. Yamaguchi, M. Kato, M. Fukui and K. Akazawa (Japan) 38

Histochemical study of the lumbar colonic nerve supply to the internal anal sphincter and its physiological role in dogs
M. Mizutani, T. Neya, K. Ono, T. Yamasato and A. Tokunaga (Japan) 45

Intra-amygdaloid infusions of clonidine retard kindling
M.R. Pelletier and M.E. Corcoran (Canada) 51

Hyperemia of injured peripheral nerve: sensitivity to CGRP antagonism
D.W. Zochodne and L.T. Ho (Canada) 59

Rostral ventrolateral medullary neurons projecting to locus coeruleus have cardiorespiratory inputs
D. Huangfu, A.J.M. Verberne and P.G. Guyenet (USA) 67

Autoradiographic identification and characterization of σ receptors in guinea pig brain using [^{3}H]1(cyclopropylmethyl)-4-(2′-(4″-fluorophenyl)-2′-oxoethyl) piperidine ([^{3}H]DuP 734), a novel σ receptor ligand
J.A. Heroux, S.W. Tam and E.B. De Souza (USA) 76

Electron microscopic investigation of the cerebral cortex after cerebral ischemia and reperfusion in the gerbil
H. Tomimoto and T. Yanagihara (USA) 87

Central sites mediating reproductive responses to melatonin in juvenile male Siberian hamsters
L.L. Badura and B.D. Goldman (USA) 98

Colocalization of peptide- and tyrosine hydroxylase-like immunoreactivities with Fos-immunoreactive neurons in rat central amygdaloid nucleus after immobilization stress
J. Honkaniemi (Finland) 107

A cholinergic input to the substantia nigra pars compacta increases striatal dopamine metabolism measured by in vivo voltammetry
S. Hernández-López, J.L. Góngora-Alfaro, D. Martínez-Fong and J. Aceves (Mexico, México) 114

Comparative effects of electroconvulsive shock and haloperidol on in vivo tyrosine hydroxylation and tetrahydrobiopterin in the brain of rats with 6-hydroxydopamine lesions
M.A. Hossain, J.M. Masserano and N. Weiner (USA) 121

Anatomical and electrotonic coupling in developing genioglossal motoneurons of the rat
E. Mazza, P.A. Núñez-Abades, J.M. Spielmann and W.E. Cameron (USA) 127

A peptidergic circuit for reproductive behavior
T. Smock, S. Arnold, D. Albeck, P. Emerson, J. Garritano, K. Burrows, W. Derber, C. Sanson, K. Marrs, H. Weatherly and K. Kruse (USA) 138

Fiber composition of the human corpus callosum
F. Aboitiz, A.B. Scheibel, R.S. Fisher and E. Zaidel (Chile, USA) 143

Individual differences in brain asymmetries and fiber composition in the human corpus callosum
F. Aboitiz, A.B. Scheibel, R.S. Fisher and E. Zaidel (Chile, USA) 154

Postnatal lead exposure induces supersensitivity to the stimulus properties of a D_2-D_3 agonist
D.A. Cory-Slechta, M.J. Pokora and D.V. Widzowski (USA) 162

Factors regulating the magnitude of long-term potentiation induced by theta pattern stimulation
A. Arai and G. Lynch (USA) 173

Activation of locus coeruleus neurons by nucleus paragigantocellularis or noxious sensory stimulation is mediated by intracoerulear excitatory amino acid neurotransmission
M. Ennis, G. Aston-Jones and R. Shiekhattar (USA) 185

Blockade of NMDA receptor-mediated mobilization of intracellular Ca^{2+} prevents neurotoxicity
S.Z. Lei, D. Zhang, A.E. Abele and S.A. Lipton (USA) 196

Cerebrovascular nerve fibers immunoreactive for tryptophan-5-hydroxylase in the rat: distribution, putative origin and comparison with sympathetic noradrenergic nerves
Z. Cohen, G. Bonvento, P. Lacombe, J. Seylaz, E.T. MacKenzie and E. Hamel (Canada, France) 203

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update) - Current Awareness in Biological Science (CABS)

BRAIN RESEARCH

VOL. 598 NO. 1/2 — 11 DECEMBER 1992

CONTENTS

Research Reports

Progressive impairment of Schwann cell proliferation in vitro in murine globoid cell leukodystrophy (twitcher)
A. Komiyama and K. Suzuki (USA) 1

Potent gp120-like neurotoxic activity in the cerebrospinal fluid of HIV-infected individuals is blocked by peptide T
J. Buzy, D.E. Brenneman, C.B. Pert, A. Martin, A. Salazar and M.R. Ruff (USA) 10

Low-voltage-activated calcium channels in human retinoblastoma cells
S. Barnes and L.W. Haynes (Canada) 19

Effects of the opiates on the paraventricular nucleus in genetically polydipsic mice
I. Nagatomo, T. Katafuchi and K. Koizumi (USA) 23

The locus coeruleus and memory: a study of chronic alcoholics with and without the memory impairment of Korsakoff's psychosis
G. Halliday, J. Ellis and C. Harper (Australia) 33

Rolling mouse Nagoya as a mutant animal model of basal ganglia dysfunction: determination of absolute rates of local cerebral glucose utilization
T. Yamaguchi, M. Kato, M. Fukui and K. Akazawa (Japan) 38

Histochemical study of the lumbar colonic nerve supply to the internal anal sphincter and its physiological role in dogs
M. Mizutani, T. Neya, K. Ono, T. Yamasato and A. Tokunaga (Japan) 45

Intra-amygdaloid infusions of clonidine retard kindling
M.R. Pelletier and M.E. Corcoran (Canada) 51

Hyperemia of injured peripheral nerve: sensitivity to CGRP antagonism
D.W. Zochodne and L.T. Ho (Canada) 59

Rostral ventrolateral medullary neurons projecting to locus coeruleus have cardiorespiratory inputs
D. Huangfu, A.J.M. Verberne and P.G. Guyenet (USA) 67

Autoradiographic identification and characterization of σ receptors in guinea pig brain using [^{3}H]1(cyclopropylmethyl)-4-(2′-(4″-fluorophenyl)-2′-oxoethyl) piperidine ([^{3}H]DuP 734), a novel σ receptor ligand
J.A. Heroux, S.W. Tam and E.B. De Souza (USA) 76

Electron microscopic investigation of the cerebral cortex after cerebral ischemia and reperfusion in the gerbil
H. Tomimoto and T. Yanagihara (USA) 87

Central sites mediating reproductive responses to melatonin in juvenile male Siberian hamsters
L.L. Badura and B.D. Goldman (USA) 98

Colocalization of peptide- and tyrosine hydroxylase-like immunoreactivities with Fos-immunoreactive neurons in rat central amygdaloid nucleus after immobilization stress
J. Honkaniemi (Finland) 107

A cholinergic input to the substantia nigra pars compacta increases striatal dopamine metabolism measured by in vivo voltammetry
S. Hernández-López, J.L. Góngora-Alfaro, D. Martínez-Fong and J. Aceves (Mexico, México) 114

Comparative effects of electroconvulsive shock and haloperidol on in vivo tyrosine hydroxylation and tetrahydrobiopterin in the brain of rats with 6-hydroxydopamine lesions
M.A. Hossain, J.M. Masserano and N. Weiner (USA) 121

Anatomical and electrotonic coupling in developing genioglossal motoneurons of the rat
E. Mazza, P.A. Núñez-Abades, J.M. Spielmann and W.E. Cameron (USA) 127

A peptidergic circuit for reproductive behavior
T. Smock, S. Arnold, D. Albeck, P. Emerson, J. Garritano, K. Burrows, W. Derber, C. Sanson, K. Marrs, H. Weatherly and K. Kruse (USA) 138

Fiber composition of the human corpus callosum
F. Aboitiz, A.B. Scheibel, R.S. Fisher and E. Zaidel (Chile, USA) 143

Individual differences in brain asymmetries and fiber composition in the human corpus callosum
F. Aboitiz, A.B. Scheibel, R.S. Fisher and E. Zaidel (Chile, USA) 154

Postnatal lead exposure induces supersensitivity to the stimulus properties of a D_2-D_3 agonist
D.A. Cory-Slechta, M.J. Pokora and D.V. Widzowski (USA) 162

Factors regulating the magnitude of long-term potentiation induced by theta pattern stimulation
A. Arai and G. Lynch (USA) 173

Activation of locus coeruleus neurons by nucleus paragigantocellularis or noxious sensory stimulation is mediated by intracoerulear excitatory amino acid neurotransmission
M. Ennis, G. Aston-Jones and R. Shiekhattar (USA) 185

Blockade of NMDA receptor-mediated mobilization of intracellular Ca^{2+} prevents neurotoxicity
S.Z. Lei, D. Zhang, A.E. Abele and S.A. Lipton (USA) 196

Cerebrovascular nerve fibers immunoreactive for tryptophan-5-hydroxylase in the rat: distribution, putative origin and comparison with sympathetic noradrenergic nerves
Z. Cohen, G. Bonvento, P. Lacombe, J. Seylaz, E.T. MacKenzie and E. Hamel (Canada, France) 203

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - Current Contents (Life Sci.) - Excerpta Medica (EMBASE) - Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Update) - Current Awareness in Biological Science (CABS)

(contents continued)

A new type of Ca^{2+} channel blocker, NC-1100, inhibits the low- and high-threshold Ca^{2+} currents in the rat CNS neurons
N. Miyake, M. Wakamori and N. Akaike (Japan) 215
Long-term adaptation of crayfish neurons depends on the frequency and number of impulses
A.J. Mercier, H. Bradacs and H.L. Atwood (Canada, Austria) 221
Ca^{2+}-binding proteins in rat synaptic fractions surveyed by the $^{45}Ca^{2+}$ overlay method
S. Abe-Dohmae, T. Suzuki and R. Tanaka (Japan) 225
Spinal dopaminergic system of the rat: light and electron microscopic study using an antiserum against dopamine, with particular emphasis on synaptic incidence
J.-L. Ridet, F. Sandillon, N. Rajaofetra, M. Geffard and A. Privat (France) 233
Brain vasculature and mitochondrial responses to ischemia in gerbils. I. Basic anatomical patterns and biochemical correlates
A. Mayevsky and Z. Breuer (Israel) 242
Brain vasculature and mitochondrial responses to ischemia in gerbils II. Strain differences and statistical evaluation
Z. Breuer and A. Mayevsky (Israel) 251
The relation between light-induced discharge in the suprachiasmatic nucleus and phase shifts of hamster circadian rhythms
J.H. Meijer, B. Rusak and G. Gänshirt (Netherlands, Canada) 257
Effects of nerve growth factor and basic fibroblast growth factor on survival of cultured septal cholinergic neurons from adult rats
Y. Kushima, C. Nishio, T. Nonomura and H. Hatanaka (Japan) 264
Differential roles of NMDA and non-NMDA receptor activation in induction and maintenance of thermal hyperalgesia in rats with painful peripheral mononeuropathy
J. Mao, D.D. Price, R.L. Hayes, J. Lu and D.J. Mayer (USA) 271
Sexual differences in the stimulatory effects of bombesin on tuberoinfundibular dopaminergic neurons
T.W. Toney, J. Manzanares, K.E. Moore and K.J. Lookingland (USA) 279
MK-801 affects the potassium-induced increase of glial fibrillary acidic protein immunoreactivity in rat brain
D.G. Herrera and A.C. Cuello (Canada) 286
Characterization of the release of Met-enkephalin from isolated nerve terminals: release kinetics and cation-dependence
M. Verhage, W.E.J.M. Ghijsen and V.M. Wiegant (The Netherlands) 294

Short Communications

The effects of aging on muscarinic receptor/G-protein coupling in the rat hippocampus and striatum
R.M. Anson, R. Cutler, J.A. Joseph, K. Yamagami and G.S. Roth (USA) 302
Perinatal cocaine exposure and functional brainstem development in the rat
A. Salamy, K. Dark, M. Salfi, S. Shah and H.V.S. Peeke (USA) 307
Differential patterns of arborization of striatal and subthalamic fibers in the two pallidal segments in primates
L.-N. Hazrati and A. Parent (Canada) 311
The uremic guanidino compound guanidinosuccinic acid induces behavioral convulsions and concomitant epileptiform electrocorticographic discharges in mice
R. D'Hooge, Y.-Q. Pei, J. Manil and P.P. De Deyn (Belgium) 316
Striatal subregions are differentially vulnerable to the neurotoxic effects of methamphetamine
A.J. Eisch, M. Gaffney, F.B. Weihmuller, S.J. O'Dell and J.F. Marshall (USA) 321
Is the vasoactive intestinal peptide-like immunoreactivity in the rat pineal gland present in fibers originating in the superior cervical ganglion?
S. Piszczkiewicz and R.E. Zigmond (USA) 327
Circadian and developmental regulation of *Oct-2* gene expression in the suprachiasmatic nuclei
S.A. Rivkees, D.R. Weaver and S.M. Reppert (USA) 332
The differential staining patterns of two lectins in the accessory olfactory bulb of the rat
S. Takami, P.P.C. Graziadei and M. Ichikawa (USA, Japan) 337
Stress-induced sensitization to amphetamine and morphine psychomotor effects depend on stress-induced corticosterone secretion
V. Deroche, P.V. Piazza, P. Casolini, S. Maccari, M. Le Moal and H. Simon (France) 343
Effects of peripheral nerve injuries and tissue inflammation on the levels of neuropeptide Y-like immunoreactivity in rat primary afferent neurons
S. Wakisaka, K.C. Kajander and G.J. Bennett (USA) 349
Continuous amphetamine and cocaine have similar neurotoxic effects in lateral habenular nucleus and fasciculus retroflexus
G. Ellison (USA) 353

Erratum 357

Author Index 358